



Double Row Angular Contact Bearing – 1st Generation Wheel Hub Bearing Unit

DAC No.	Dimensions(mm)				Seal	Weight(KG)	Application
	d	D	B	C			
DAC45820042	45	82	42	42	ABS	0.82	Ford
DAC45830045	45	83	45	45	E	0.90	Mazda
DAC45840039	45	84	39	39	B	0.85	Mercedes-Benz, Volvo
					C	0.84	
					E	0.86	
					ABS	0.86	
DAC45840041/39	45	84	41	39	C	0.85	Mitsubish.Kia,Hyundai Chrysler
					E	0.88	
					E	0.88	
DAC45840042/40	45	84	42	40	B	0.86	Honda
					E	0.86	
					ABS	0.88	Honda 2.4/3.0
DAC45840045	45	84	45	45	E	0.95	Ford,Lexus,Lincoln,Mazda Toyota
DAC458500302	45	85	30.2	30.2	B	0.63	Ford
DAC45850041	45	85	41	41	C	0.93	Bmw,Mercedes-Benz
					E	0.95	
DAC45850541	45	85.05	41	41	ABS	0.95	
DAC45860039	45	86	39	39	ABS	0.95	Renault
DAC45860045	45	86	45	45	E		
DAC45870041/39	45	85	41	39	E	1.00	Hyundai
DAC45880039	45	88	39	39	ABS	1.10	Toyota,Opel,Renault
DAC47810053	47	81	53	53	E	0.86	
DAC47850045	47	85	45	45	E	0.90	Ford,Lincoln
DAC47880055	47	88	55	55	E	1.25	Mazda,Ford
DAC478800575	47	88	57.5	57.5	E	1.35	Toyota
DAC48860042/40	48	86	42	40	LZ	1.20	Honda,比亚迪 F6 (ABS)
					ABS	1.20	
DAC48890044	48	89	44	44	B	1.30	Honda,Acura,Toyota
DAC48900042	48	90	42	42	E	1.30	Honda
DAC49840048	48	84	48	48	B	0.84	Fiat,Citroen,Peugeot,Vw
					E	0.85	Mercedes-Benz
					E/RD	0.88	
DAC49880046	49	88	46	46	E	1.00	Mercedes-Benz
DAC49900045	49	90	45	45	E	1.15	Bmw
DAC51910044	51	91	44	44	ABS	1.05	Honda
DAC51960050	51	96	50	50	ABS	1.35	Vw,Audi
DAC52910040	52	91	40	40	ABS		
DAC54960051	54	96	51	51	E	1.30	Toyota

DAC No.	Dimensions(mm)				Seal	Weight(KG)	Application
	d	D	B	C			
DAC35720034	35	72			D	0.60	LZW7100, Honda civic 1.2SF,1.5SG77.01
					C	0.61	
DAC35760054	35	76	54	54	E	0.95	Nissan
DAC35770442	34.99	77.04	42	42	D	0.86	Toyota,Lexus
DAC35800047	35	80	47	47	A	0.96	Toyota,Suzuki
DAC36660035	36	66	35	35	E		Hyundai Kia
DAC36680033	36	68	33	33	C	0.50	Suzuki Swift1.086-89,
					D	0.48	1.3 84-89 Gti1,
					E	0.52	Subaru
DAC36720034	36	72	34	34	C	0.60	Chrysler,Honda.Accord
					D	0.58	
DAC36760029/27	36	76	29	27	D	0.55	Citroeni
DAC37720033	37	72	33	33	C	0.50	Peugeot,Citroen
					E	0.51	
					ABS	0.51	
DAC37720037	37	72	37	37	C	0.59	Fiat,Ford,Lancia,Renault Chrysler
					E	0.60	
					C	0.59	
DAC37720237	37	72.02	37	37	E	0.60	
DAC37720437	37	72.04	37	37	E	0.60	Alfa,Romeo,Fiat,Lancia,Chrysler Renault,Dacia
					C	0.59	
					ABS	0.60	
DAC37740437	37	74.04	37	37	ABS	0.63	Fiat
DAC37740045	37	74	37	37	C	0.79	Bmw,Opel,Ford
DAC38700037	38	70	37	37	C	0.53	
					E	0.54	
					E	0.54	
DAC38700038	38	70	38	38	C	0.54	Toyota,Daihatsu,夏利
					E	0.55	
DAC381700037	38.1	70	37	37	C	0.52	Hyundai
					E	0.53	
					E	0.53	
					E	0.55	
					E	0.55	
DAC38710233/30	37.99	71.02	33	30	D	0.50	Toyota,F/W/Corolla
DAC38710039	38	71	39	39	E	0.57	Toyota
					E	0.57	
					C	0.56	
DAC38720034	38	72	34	34	C	0.56	Honda

DAC38720236/33	37.99	72.02	36	33	D	0.54	
					D	0.56	Toyota,Rover,Honda
					C	0.58	
DAC38720040	38	72	40	40	C	0.60	Honda ,Rover
DAC38730040	38	73	40	40	C	0.65	Honda, FIT
					B	0.65	
					E	0.67	
					ABS	0.67	
DAC38740036/33	38	74	36	33	D	0.58	Toyota,Nissan
DAC38740236/33	38	74.02	36	33	D	0.58	
					C	0.60	
DAC38740036	38	74	36	36	B	0.60	
					E	0.62	
DAC38740040	38	74	40	40	C	0.65	Mazda
DAC38740050	38	74	50	50	C	0.78	Nissan,Chrysler
DAC39680037	39	68	37	37	B/N	0.50	Volkswagen,Ford,Audi
					B	0.50	Chrysrle,Mazda,
					B/X	0.50	
DAC39680737	39	68.07	37	37	B/N	0.50	Volkswagen,Ford,Audi
					B	0.50	Chrysrle,Mazda,QQ, QQ3
					E	0.52	
DAC39720037	39	72	37	37	B	0.60	Bmw,Opel,Ford,Bedford,Mazda
					E	0.60	Daewoo,
					B/N	0.60	
					E	0.60	
					E	0.60	
					ABS	0.60	
DAC39740039	39	74	39	39	C	0.65	Saab,Opel,Daewoo
					E	0.67	
					E	0.67	
					E	0.67	
					B	0.66	
					E	0.67	
					ABS	0.68	Ford
DAC39740036/34	39	74	36	34	E	0.60	Hyundai,Kia
					E	0.60	
					C	0.59	
	39.1	74.02	36	34	E	0.60	
DAC39/41750037	39/41	75	37	37	B	0.62	Audi,Passit

DAC No.	Dimensions(mm)				Seal	Weight(KG)	Application
	d	D	B	C			
DAC42800039	42	80	39	39	ABS	0.75	Renault
DAC42800342	42	80.03	42	42	C	0.80	Bwm,Chrysler
DAC42800045	42	80	45	45	E	0.86	Mazda,Alfa-Romeo,Kia
					C	0.83	
					B	0.83	
					ABS	0.86	Mazda-M6
DAC42820036	42	82	36	36	C	0.75	Cirtoen,Peugeot,GM,PSA,
					E	0.78	
					E	0.78	
					E	0.80	
					ABS	0.80	Cirtoen,Peugeot
DAC42820037	42	82	37	37	B	0.79	Audi
DAC42820045	42	82	45	45	C	0.83	Ford
DAC42840036	42	84	36	36	E	0.81	Peugeot,Talbot,Simca
DAC42840039	42	84	39	39	A	0.90	Renault,Peugeot
					E	0.92	
DAC43760043	43	76	43	43	E	0.70	Nissan
					B	0.70	
DAC43770042/38	43	77	42	38	C	0.76	Toyota
DAC43780044	43	78	44	44	ABS	0.78	Honda,Acura
DAC43790041/38	43	79	41	38	C	0.77	Honda,Rover
					LZ	0.77	
					E	0.79	
					ABS	0.79	
DAC43790041	43	79	41	41	C	0.78	Rover
DAC43790045	43	79	45	45	B	0.84	Nissan
DAC43800038	43	80	38	38	B	0.75	Ford,Seat,Volkswagen
					E	0.77	
DAC43800040	43	80	40	40	B	0.80	Mitsubishi,Dodge
					ABS	0.80	
DAC43800050/45	43	80	50	45	D	0.86	Toyota,Lexus
					C	0.86	
DAC43820045	43	82	45	45	E	0.96	Toyota Camry2.2/3.0-91
					C	0.93	
DAC43/45820037	43/45	82	37	37	B	0.76	Audi200,Volkswagen
DAC44825037	44	82.5	37	37	B	0.72	Citroen,Peugeot,Fiat,Lancia
					E	0.73	
					ABS	0.73	
DAC44840042/40	44	84	42	40	B	0.86	Honda
DAC45770050/45	45	77	50	45	C	0.80	Toyota,Lexus

DAC45800037	45	80	37	37	C	0.70	Volkswagen,Audi
DAC45800045	45	80	45	45	C	0.78	
					E	0.80	

DAC No.	Dimensions(mm)				Seal	Weight(KG)	Application
	d	D	B	C			
DAC40700043	40	70	43	43	E	0.50	Mitsubishi,Hyundia
DAC40720036/33	40	72	36	33	C	0.54	Suzuki
					D	0.53	
DAC40720036	40	72	36	36	C	0.55	Suzuki,
					B	0.55	
					LZ	0.55	
DAC40720037	40	72	37	37	C	0.56	Volkswagen,Seat,Golf,
					B	0.57	
DAC40740036/34	40	74	36	34	D	0.58	Mitsubishi,
					C	0.59	
					E	0.60	
DAC40740036	40	74	36	36	E	0.62	Mitsubishi,,Nissan
					B	0.62	
DAC40740040	40	74	40	40	B	0.67	Kia,Mazda,Ford,Skoda,VW,Audi Seat.
					E	0.67	
DAC407404840/2N	40	74.048	40	40	E	0.65	Toyota,Lexus
					DAC40740042	40	
DAC40750037	40	75	37	37	E	0.70	Ford
					C	0.62	
					E	0.64	
DAC40750039					ABS	0.64	Ford, Toyota
					E	0.65	
					ABS	0.65	
DAC40760033/28	40	76	33	28	C	0.54	Dodge,Chrysler,Plymouth
DAC40760033	40	76	33	33	C	0.55	Dodge,Chrysler,Plymouth
					E	0.55	
DAC40760041/38	40	76	41	38	C	0.70	Honda
DAC40780040	40	78	40	40	ABS	0.74	Chevrolet,Opel,Vauxhall
DAC408000302	40	80	30.2	30.2	D	0.64	Peugeot
DAC40800036/34	40	80	36	34	E	0.76	Mitsubishi,Hyundai
					E	0.76	
					C	0.75	

					D	0.74	
DAC408000381	40	80	38.1	38.1	E	0.80	Talbot,Peugeot,Renault
DAC40800040	40	80	40	40	E	0.83	Mitsubishi
					ABS	0.83	
DAC408402538	40	84.025	38	38	C	0.95	Renault
DAC408406397	40	84.06	39.7	39.7	E		Renault
DAC401080032/17	40	108	32	17	B	1.04	Renault
DAC41680040/35	41	68	40	35	D	0.48	Suzuki
DAC42720038/35	42	72	36	33	C	0.52	Suzuki,Nissan,Saab,Subaru
DAC42720038	42	72	38	38	B	0.54	Mazda
DAC42750037	42	75	37	37	B	0.59	Audi,Bmw,Skoda,Seat
					E	0.59	
DAC42760033	42	76	33	33	C	0.54	Chrysler
DAC42760038/35	42	76	38	35	D	0.64	Nissan
					C	0.61	
					E	0.63	
DAC42760039	42	76	39	39	E	0.62	Chrysler,Ford,Hyundai,Kia
					C	0.61	
					E	0.62	
DAC42760040/37	42	76	40	37	E	0.66	Chrysler,Dodge,Maserati Plymouth,Mini
					E	0.66	
DAC42770039	42	77	39	39	E	0.69	Renault
					ABS	0.69	
DAC42780040	42	78	40	40	C	0.68	Hyundai,Kia,悦动
					E	0.70	
					E	0.70	
DAC42780045	42	78	45	45	E	0.75	Mazda
DAC42800036/34	42	80	36	34	E	0.72	Hyundai
					C	0.70	
DAC42800037	42	80	37	37	C	0.72	Atfa-Romeo,Fiat,Lancia
DAC42800038	42	80	38	38	E	0.75	Nissan

BER No.	Dimensions(mm)				Seal	Weight(KG)	Application
	d	D	B	C			
411280 411280FF 411280FF-2 411280FF-3	30	72	28	25	LZ	0.47	Peykan
F44547	23.3	32		10	OPEN	0.03	
35BCD08S6CS	35	80	28	21	2RS	0.52	Toyota
32BWD01	32	72	25	19	2RS	0.38	Daihatsu

40BCV09S1-2NSL	40	90	28	23	2RS	0.66	Toyota
630374/C4	30	65	21	21	2RS	0.27	Fiat,Seat
28BCS15	28	72	18	18	2RS	0.34	
DG4094W2RS	40	94	26	26	2RS	0.79	
DG357222DW	35	72	22	17	2LZ	0.31	Suzuki
40BW04 C4	40	85	22	22	2RS	0.55	
35BW08 C4	35	75	25	18	2RS	0.40	
35BCV09S1JCS38	35	92	33	26	LZ	0.90	
DG4277RO	42	77	29	29	2RZ	0.48	
35BCV08S2DC4	35	80	27	21	2RS	0.51	
DG358026WRKBC4	35	80	26	21	RS	0.48	Suzuki
DG357226WRSC4 /88507	35	72	26	17	2RS	0.35	Toyota
RMS10	31.75	79.375	22.23	22.23		0.49	
30BCDS2 88506	30	62	24	16	2RS	0.22	Toyota
DG4094W-12RSHR4SH	40	94	31	26	2RS	0.92	Toyota
DG285822RKBD	28	58	22	22	B	0.30	
F-575282	35	73	24.5	24.5	LZ	0.42	
DG4080WRKBSH2C4	40	80	23	18	2RS	0.43	Suzuki
62208	40	80	23	23	2RS	0.45	
88107	35	72	25	17	2RS	0.34	

DAC No.	Dimensions(mm)				Seal	Weight(KG)	Application
	d	D	B	C			
DAC20420030/29	20	42	30	29	C	0.19	
DAC255200206	25	52	20.6	20.6	A	0.19	Fiat,Seat
DAC25520037	25	52	37	37	C	0.31	Renault, Peugeot,Citroen 富康后轮、华普后轮
					E	0.38	
DAC25520042	25	52	42	42	C	0.35	
DAC25520043	25	52	43	43	C	0.36	Renault, Peugeot,Citroen
DAC25550043	25	55	43	43	C	0.44	Renault Peugeot,Citroen,Nissan Mercedes-Benz
DAC25560032	25	56	32	32	C	0.32	Citroen,Peugeot
DAC255600206/29	25	56	20.6	29	A	0.28	Fiat,Lancia
DAC256000206/29	25	60	20.6	29	A	0.34	Fiat.Lancia
DAC25720043	25	72	43	43	C	0.88	
DAC27520045/43	27	52	45	43	D	0.35	Nissan
DAC27520050	27	52	50	50	C	0.40	Nissan
DAC27530043	27	53	43	43	C	0.40	Opel Corsa
DAC27600050	27	60	50	50	LZ	0.56	
DAC28580042	28	58	42	42	A	0.47	Suzuki,Opel, Daewoo
					E	0.48	
DAC28580044	28	58	44	44	A	0.52	Suzuki,Swift III(SG)
					E	0.56	
					B	0.54	
DAC28610042	28	61	42	42	C	0.56	Toyota
DAC29530037	29	53	37	37	C	0.35	Ford Fiesta,Focus

DAC30550030/25	30	55	30	25	C		
DAC30550032	30	55	32	32	C	0.28	
					E	0.29	
DAC30580042	30	58	42	42	B	0.40	Mazda,Ford,Kia
DAC30600037	30	60	37	37	C	0.42	Fiat,Lada,Lancia,Seat,Volvo
					C		
					C		
					B	0.44	
DAC30600337	30	60.03	37	37	C	0.42	
					B	0.44	
DAC30620038	30	62	38	38	B	0.49	Fiat,
					E	0.52	
					E	0.52	
DAC30620048	30	62	48	48	E	0.60	Renault
DAC30630042	30	63	42	42	E	0.60	Toyota CAMRY-91,CARINAII
					D	0.56	83-92,CEL
DAC30640042	30	64	42	42	E	0.55	
					C	0.49	
DAC30680045	30	68	45	45	E	0.58	Nissan
DAC32720345	32	72.03	45	45	D	0.60	Nissan,Lexus
DAC34620037	34	62	37	37	B	0.42	VAG,Chrysler,Audi,Polo/90
DAC34580024	34	58	24	24	D		
DAC34640034	34	64	34	34	B	0.42	Honda
DAC34640037	34	64	37	37	B	0.43	Lada,Ople,Volkswagen,Bedford,Daewoo
					B	0.43	
					E	0.46	
DAC34660037	34	66	37	37	C	0.48	Opel ,Corsa,Golf,Accord(雅阁), Vauxhall
					C	0.48	
					B	0.50	

DAC No.	Dimensions(mm)				Seal	Weight(KG)	Application
	d	D	B	C			
DAC35618040	35	61.8	40	40	C	0.43	Opel,Vauxhall,
					E	0.46	
					LZ	0.46	
					B	0.45	
DAC35620040	35	62	40	40	E	0.50	Suzuki,
					C	0.46	
					E/H	0.48	
DAC35640037	35	64	37	37	B	0.46	Daihatsu,TJ7300,
					E	0.48	
DAC35650035	35	65	35	35	C	0.40	Renault, Chrysler,Kia Prade

				E	0.44	
				B	0.42	
				E	0.45	
DAC35660032	35 66	32 32	C	0.42		Citroen,Peugeot 106
DAC35660033	35 66	33 33	C	0.43		Fiat,Volkswagen
DAC35660037	35 66	37 37	C	0.48		Volkswagen,,Jetta,Golf,Polo,
			B	0.50		Vw,Seat,Chrysler
			E	0.52		
DAC35670042	35 67	42 42	E	0.60		Nissan
			B	0.58		
DAC35680037	35 68	37 37	C	0.52		Fiat, Lancia,Seat,
			B	0.53		Volvo,Zastava Chrysler,Premio
			E	0.55		
			ABS	0.55		
DAC35680233/30	35 68.02	33 30	D	0.47		Toyota,Nissan,Zastava
DAC35720228	35 72.02	28 28	D	0.46		Citroen,Peugeot,Renault,Simea
DAC35720233/31	35 72.02	33 30	D	0.55		Toyota,Nissan,Zastava
DAC35720033	35 72	33 33	C	0.58		Citroen,Peageot
			E	0.60		
			ABS	0.60		
DAC35720433	35 72.04	33 33	B	0.60		Fiat,Lancia,Tipol.6





AUTOMOBILE WHEEL HUB
BEARING UNIT

Ningbo Amol Machinery Co., Ltd.
Jiangsu Amol Bearing Co., Ltd.
Ningbo Amol Intl. Trade Co., Ltd.

Our hub bearing units are developed for the following car brand and models:

- TOYOTA
- NISSAN
- SUBARU
- MITSUBISHI
- HONDA
- ACURA
- BUICK
- BMW
- SUZUKI
- MAZDA
- LINCOLN
- SCION
- KIA
- DAIHUTSU
- CADILLAC
- FORD
- AUDI
- LEXUS
- DODGE
- LAND ROVER
- CHEVROLET
- JEEP
- MERCEDES-BENS
- HYUNDAI
- SSANG YONG
- INFINITI