



寧波安牧國際貿易有限公司

NINGBO AMOL INTL. TRADE CO.,LTD.

Spherical Roller Bearing

Boundary dimensions(mm)				Basic load ratings(kN)		Limiting speeds(rpm)		Mass(Kg)	Bearing Number
d	D	B	r _s min	Cr	Cor	Grease	Oil	(Approx.)	
180	250	52	2	440	835	1,200	1,800	8.21	23936
180	250	52	2	440	835	1,200	1,800	7.95	23936K
180	250	52	2	440	835	1,200	1,800	7.95	23936KW33C3
180	250	52	2	440	835	1,200	1,800	8.21	23936W33C3
190	260	52	2	460	890	1,100	1,700	8.6	23938
190	260	52	2	460	890	1,100	1,700	8.34	23938K
190	260	52	2	460	890	1,100	1,700	8.34	23938KW33C3
190	260	52	2	460	890	1,100	1,700	8.6	23938W33C3
200	280	60	2.1	545	1,100	1,000	1,600	12.1	23940
200	280	60	2.1	545	1,100	1,000	1,600	11.7	23940K
200	280	60	2.1	545	1,100	1,000	1,600	11.7	23940KW33C3
200	280	60	2.1	545	1,100	1,000	1,600	12.1	23940W33C3
220	300	60	2.1	565	1,170	930	1,400	13.1	23944
220	300	60	2.1	565	1,170	930	1,400	12.7	23944K
220	300	60	2.1	565	1,170	930	1,400	12.7	23944KW33C3
220	300	60	2.1	565	1,170	930	1,400	13.1	23944W33C3
240	320	60	2.1	565	1,190	840	1,300	14	23948
240	320	60	2.1	565	1,190	840	1,300	13.6	23948K
240	320	60	2.1	565	1,190	840	1,300	13.6	23948KW33C3
65	140	33	2.1	194	228	2,000	3,100	2.55	21313
65	140	33	2.1	194	228	2,000	3,100	2.51	21313K
65	140	33	2.1	194	228	2,000	3,100	2.51	21313KW33C3
65	140	33	2.1	194	228	2,000	3,100	2.55	21313W33C3
70	150	35	2.1	220	262	1,900	2,900	3.18	21314
70	150	35	2.1	220	262	1,900	2,900	3.14	21314K
70	150	35	2.1	220	262	1,900	2,900	3.14	21314KW33C3
70	150	35	2.1	220	262	1,900	2,900	3.18	21314W33C3
75	160	37	2.1	239	287	1,800	2,700	3.81	21315
75	160	37	2.1	239	287	1,800	2,700	3.76	21315K
75	160	37	2.1	239	287	1,800	2,700	3.76	21315KW33C3
75	160	37	2.1	239	287	1,800	2,700	3.81	21315W33C3
90	190	43	3	320	400	1,500	2,300	6.3	21318
90	190	43	3	320	400	1,500	2,300	6.21	21318K
90	190	43	3	320	400	1,500	2,300	6.21	21318KW33C3



寧波安牧國際貿易有限公司

NINGBO AMOL INTL. TRADE CO.,LTD.

Spherical Roller Bearing

Boundary dimensions(mm)				Basic load ratings(kN)		Limiting speeds(rpm)		Mass(Kg)	Bearing Number
d	D	B	r _{s min}	Cr	Cor	Grease	Oil	(Approx.)	
150	270	96	3	935	1,460	1,000	1,600	23.4	23230K
150	270	96	3	935	1,460	1,000	1,600	23.4	23230KW33C3
150	270	96	3	935	1,460	1,000	1,600	24.1	23230W33C3
160	290	104	3	1,050	1,660	960	1,500	30	23232
160	290	104	3	1,050	1,660	960	1,500	29.1	23232K
160	290	104	3	1,050	1,660	960	1,500	29.1	23232KW33C3
160	290	104	3	1,050	1,660	960	1,500	30	23232W33C3
170	310	110	4	1,180	1,960	910	1,400	36.8	23234
170	310	110	4	1,180	1,960	910	1,400	35.7	23234K
170	310	110	4	1,180	1,960	910	1,400	35.7	23234KW33C3
170	310	110	4	1,180	1,960	910	1,400	36.8	23234W33C3
180	320	112	4	1,230	2,000	850	1,300	39	23236
180	320	112	4	1,230	2,000	850	1,300	37.8	23236K
180	320	112	4	1,230	2,000	850	1,300	37.8	23236KW33C3
180	320	112	4	1,230	2,000	850	1,300	39	23236W33C3
190	340	120	4	1,400	2,330	790	1,200	47.6	23238
190	340	120	4	1,400	2,330	790	1,200	46.2	23238K
190	340	120	4	1,400	2,330	790	1,200	46.2	23238KW33C3
190	340	120	4	1,400	2,330	790	1,200	47.6	23238W33C3
200	360	128	4	1,610	2,640	750	1,200	57.2	23240
40	90	23	1.5	88	90	3,200	4,900	0.705	21308
40	90	23	1.5	88	90	3,200	4,900	0.694	21308K
40	90	23	1.5	88	90	3,200	4,900	0.694	21308KW33C3
40	90	23	1.5	88	90	3,200	4,900	0.705	21308W33C3
45	100	25	1.5	102	106	2,900	4,400	0.927	21309
45	100	25	1.5	102	106	2,900	4,400	0.912	21309K
45	100	25	1.5	102	106	2,900	4,400	0.912	21309KW33C3
45	100	25	1.5	102	106	2,900	4,400	0.927	21309W33C3
50	110	27	2	118	127	2,600	4,000	1.21	21310
50	110	27	2	118	127	2,600	4,000	1.19	21310K
50	110	27	2	118	127	2,600	4,000	1.19	21310KW33C3
50	110	27	2	118	127	2,600	4,000	1.21	21310W33C3
55	120	29	2	145	163	2,400	3,700	1.71	21311
55	120	29	2	145	163	2,400	3,700	1.69	21311K