


## Non-Standard Deep Groove Ball Bearings



单面防尘盖  
SINGLE SHIELDED



Z  
单面密封圈  
SINGLE SEAL RING

RS, DU, D

双面防尘盖  
DOUBLE SHIELDED



ZZ, 2Z  
双面密封圈  
DOUBLE SEAL RING

2RS, DDU, DD

止动环槽  
SNAP RING GROOVE



ZZN  
带止动环  
LOCATING SNAP RING

ZZNR

Shaft	外形尺寸 Dimensions			bearing 基本型号	Weight kg
	孔径 d mm	外径 D	宽度 B 内 Mm in.外		
3	3	10	4	623	0.0016
	3	13	5	633	0.0033
4	4	13	5	624	0.0030
	4	16	5	634	0.0052
5	5	14	5	605	0.0035
	5	16	5	625	0.0048
	5	19	6	635	0.0083
6	6	17	6	606	0.0058
	6	19	6	626	0.0080
	6	22	7	636	0.0140
7	7	19	6	607	0.0076
	7	22	7	627	0.0140
	7	26	9	637	0.0240
8	8	22	7	608	0.0120
	8	23	14	SC8A37LH1 (双塑料环)	0.0300
	8	24	8	628	0.0160
	8	28	9	638	0.0290
9	9	20	6	699	0.0008
	9	24	7	609	0.0140
	9	26	8	629	0.0190
	9	30	10	639	0.0360
10	10	19	5	6800	0.0050
	10	22	6	6900	0.0100
	10	26	8	6000	0.0190

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)

---


---

	10	26	10	W6000(62000)	0.0250
	10	26	11	B10-50D	0.0280
	10	30	9	6200	0.0310
	10	30	14	62200	0.0440
	10	30	9/12.7	87500	0.0350
	10	35	11	6300	0.0530
	10	35	17	62300	0.0730
12	12	21	5	6801	0.0060
	12	24	6	6901	0.0110

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)



Shaft	外形尺寸 Dimensions			bearing 基本型号	Weight kg
	孔径 d mm	外径 D	宽度 B		
12	12	28	8	6001	0.0210
	12	28	10	62001	0.0250
	12	28	12	63001	0.0300
	12	28	12	W6001	0.0310
	12	32	10	6201	0.0380
	12	32	14	62201	0.0530
	12	32	14	W6201	0.0450
	12	32	10/12.7	87501	0.0440
	12	37	12	6301	0.0600
	12	37	17	62301	0.0814
	12	40	12	6203-12mm	0.0650
12.7	12.7	28	8	6001-1/2	0.0200
	12.7	32	10	6201-1/2	0.0350
	12.7	35	11	6202-1/2	0.0500
	12.7	40	12	6203-1/2	0.0640
13	13	32	10	6201-13mm	0.0350
	13	35	11	6202-13mm	0.0640
15	15	24	5	6802	0.0070
	15	28	7	6902	0.0170
	15	32	8	16002	0.0250
	15	32	9	6002	0.0310
	15	32	11	62002(317)	0.0380
	15	32	13	63002	0.0448
	15	35	8	68202	0.0330
	15	35	11	6202	0.0450
	15	35	13	W6202(279)	0.0530
	15	35	13	B15-69D (偏心耳式环)	0.0550
	15	35	14	62202	0.0570

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)

---


---

15	35	15.9	63202	0.0647
15	35	20	64202	0.0810
15	38	19	348	0.0930
15	42	9	68302	0.0575
15	42	13	6302	0.0830
15	42	17	62302	0.1085
15	42	19	63302	0.1210

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)



T	外形尺寸 Dimensions			bearing 基本型号	Weight kg
	孔径 d mm	外径 D	宽度 B		
15	15	42	13/15	87602	0.0880
	15	43	13	319	0.0850
	15	45	11/12.7	87502	0.0880
	15	52	16	382	0.1680
15.875	15.875	34.925	11	99502H	0.0400
	15.875	35	11	6202-5/8	0.0400
	15.875	40	12	6203-5/8	0.0630
16	16	31	10	163110	0.0350
	16	35	11	6202-2RS-16	0.0400
	16	40	12	6203-16mm	0.0630
	16	42	13	440146C	0.0800
17	17	26	5	6803	0.0080
	17	30	7	6903	0.0180
	17	32	10	V6002-17	0.0380
	17	35	8	16003	0.0320
	17	35	10	6003	0.0380
	17	35	12	62003	0.0456
	17	35	14	63003	0.0532
	17	40	8	68203	0.0446
	17	40	12	6203	0.0670
	17	40	16	62203	0.0890
	17	40	17.5	W6203(63203)	0.0950
	17	40	22.0	64203	0.1194
	17	40	12/14.288	87503	0.0700
	17	43	12.0	6203-43mm(带销孔)	0.0750
	17	47	14	6303	0.1160
	17	47	19	62303	0.1460

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)

---


---

	17	47	22.2	63303	0.1700
	17	47	17/14	6303ZZV	0.1400
	17	47	14/16	87603	0.1170
	17	62	17	6305-17mm(6403)	0.4000
19.05	19.05	40	12	6203-3/4	0.0600
	19.05	47	14	6204-3/4	0.1100

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)



Shaft	外形尺寸 Dimensions			bearing 基本型号	Weight kg
	孔径 d mm	外径 D	宽度 B		
20	20	32	7	6804	0.0190
	20	32	8	62804	0.0217
	20	32	10	63804	0.0271
	20	32	12	64804	0.0325
	20	32	16	65804	0.0434
	20	32	22	66804	0.0596
	20	35	8	BR2035	0.0270
	20	36	9	6904F2	0.0330
	20	37	9	6904	0.0380
	20	37	11	62904	0.0464
	20	37	13	63904	0.0548
	20	37	17	64904	0.0717
	20	37	23	65904	0.0969
	20	37	30	66904	0.1239
	20	37	9/14	6904V(TR32827)	0.0450
	20	42	8	16004	0.0500
	20	42	12	6004	0.0700
	20	42	14	62004	0.0800
	20	42	16	63004	0.0930
	20	47	12	420204(W6204)	0.0900
	20	47	12	SC04A47CS29PX1	0.0900
	20	47	14	6204	0.1050
	20	47	18	62204	0.1350
	20	47	15/12	6204ZZV	0.1100
	20	47	14/15.875	87504	0.1080
	20	49	16	BR2049DD	0.1300
	20	50	14	62/22X	0.1300
	20	52	10	68304	0.1100

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)

---

---


20	52	12	16304/(68304X2)	0.1200
20	52	12	91005-GW0-023(SC04A47)	0.1200
20	52	12	SC04A47CS32PX1	0.1200
20	52	14	20BC05	0.1350
20	52	14	20BC0SS12	0.1350
20	52	15	6304	0.1450
20	52	21	62304	0.2000
20	52	22.2	63304	0.2146
20	52	15/19	87604	0.1600



# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)



Shaft	外形尺寸 Dimensions			bearing 基本型号	Weight kg
	孔径 d mm	外径 D	宽度 B		
20	20	56	12	91005-GW3-711(SC04B19CS34PX1)	0.1500
	20	56	12	SC04B19CS31PX2	0.1500
	20	62	16	6206/20	0.2450
	20	62	17	6305DDF11	0.2880
	20	72	19	6404	0.4000
22	22	42	12	6004-22	0.0610
	22	44	12	60/22	0.0740
	22	50	14	62/22	0.1160
	22	56	14	22BC05SB	0.1600
	22	56	15	63/22h(63/22X2)	0.1650
	22	56	16	63/22	0.1770
	24	24	40	8	BR2440
25	25	37	7	6805	0.0220
	25	42	9	6905	0.0420
	25	47	8	16005	0.0600
	25	47	12	6005	0.0800
	25	47	15/12	6005ZZV	0.0850
	25	47	14	62005	0.0930
	25	47	16	63005	0.1050
	25	52	9	98205	0.0820
	25	52	10	68205	0.0850
	25	52	12	420205(W205)	0.1000
	25	52	12	16205	0.1000
	25	52	15	6205	0.1300
	25	52	18	62205	0.1560
	25	52	20.6	63205	0.1785
	25	52	27	64205	0.2340

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)

---


---

25	52	15/16.8	88505	0.1470
25	52	15/15.875	87505	0.1330
25	56	12	91005-KFH-005(SC05B61CS35PX1)	0.1200
25	62	12	SC0563 ( 98305 )	0.1500
25	62	14	19341	0.1750
25	62	17	6305	0.2300
25	62	24	62305	0.3250
25	62	25.4	W6305	0.3500

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)



Shaft	外形尺寸 Dimensions			bearing 基本型号	Weight kg
	孔径 d mm	外径 D	宽度 B		
25	25	62	17/21	87605	0.2720
	25	63	18	B25-63	0.2520
	25	68	18	B25-157	0.2860
	25	68	21	B25-157DDh	0.3120
	25	80	21	6405	0.5300
25.4	25.4	52	15	6205-1R	0.1300
27	27	58	16	62/28DDF1	0.1920
	27	68	18	63/28DDF11	0.2980
28	28	52	12	60/28	0.0980
	28	52	16	BR2852DD	0.1330
	28	58	16	62/28	0.1740
	28	65	19	BR2865DD	0.2560
	28	68	18	63/28	0.2810
	28	70	20	BR2870DD	0.3400
	28	72	20	BR2872DD	0.3740
	28	80	21	HC6307F11	0.5070
30	30	55	9	16006	0.0810
	30	55	11.6	6006UUh1	0.0960
	30	55	13	6006	0.1170
	30	55	15	62006	0.1350
	30	55	19	63006	0.1700
	30	58	16	537374	0.1600
	30	62	10	68206 ( 98206 )	0.1270
	30	62	16	6206	0.2020
	30	62	17	HC6206DDh	0.2100
	30	62	20	62206	0.2470
	30	62	16/24	88506	0.2350

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)

---


---

30	62	16/20	87506	0.2300
30	72	19	6306	0.4000
30	72	27	62306	0.5680
30	72	19/23	87606	0.4040
30	75	20	63/32DDF1	0.4200
30	80	22	HC6307DDF1h	0.5100

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)



Shaft	外形尺寸 Dimensions			bearing 基本型号	Weight kg
	孔径 d mm	外径 D	宽度 B		
31.75	31.75	72	19	6306-1-1/4	0.3800
32	32	58	13	60/32	0.1290
	32	65	17	62/32	0.2260
	32	75	20	63/32DD	0.3830
35	35	62	9	16007	0.1150
	35	62	14	6007	0.1580
	35	62	17	62007	0.1910
	35	62	20	63007	0.2257
	35	66	15	BR3566DD	0.2000
	35	72	15	TM-SC07A87CS26	0.2600
	35	72	15	TM-SC07A7CS42-1	0.2600
	35	72	16	6207h2	0.2640
	35	72	17	6207	0.3000
	35	72	18.25	6207h	0.3200
	35	72	23	62207	0.4000
	35	72	17/25	88507	0.3300
	35	72	17/21	87507	0.3210
	35	80	21	6307	0.4600
	35	80	24	HC6307DDh1	0.5050
	35	80	21/25	87607	0.5090
	40	40	68	9	16008
40		68	15	6008	0.1990
40		68	18	62008	0.2388
40		68	21	63008	0.2786
40		80	18	6208	0.3800
40		80	23	62208	0.4850

# Amol<sup>®</sup> Bearing

Ningbo Amol Intl. Trade Co., Ltd.  
Jiangsu Amol Bearing Co., Ltd.

TEL: +86-574-63106248 FAX: +86-574-63104480  
[www.koyoco.com](http://www.koyoco.com) [www.amolbearing.com](http://www.amolbearing.com)

---

---

40	80	21/27	88508	0.5000
40	80	21/24	87508	0.4860

---